




MOTO

Eibach[®]
SPRINGS

#1 CHOICE OF MOTORSPORT CHAMPIONS WORLDWIDE!



EIBACH SPRINGS | Quality Unsurpassed

PERFORMANCE PERFECTED

- Precision Tolerances—The Tightest in the Industry
- Ultra-Lightweight, for Reduced Unsprung Mass
- Maximum Deflection in Combination with Smallest Block Heights
- Precision Planparallel and Square End Configurations Under Unloaded and Loaded Conditions
- Lowest Side Loads with Load Center Ideally Located Relative to Spring Axis
- Exceptional Block Resistance and Durability

Eibach makes the finest performance springs in the world. Period. When other springs sag, wear out, or create sketchy handling or a bone-crushing ride, top motorcycle tuners—like top race teams—inevitably turn to Eibach. And, also inevitably, wonder why they didn't choose Eibach in the first place.

To produce springs with unparalleled precision and repeatability, Eibach uses the world's finest Hi-Ten spring steel, produced to exceedingly precise tolerances. We use world-renowned German CNC coilers, as well as many machines engineered and built specifically by Eibach. In short, we use state-of-the-art technology, in every step of the manufacturing process.

But it's not just about machines and technology; it's about people. Most notably, the Eibach Springmeisters, working at production plants in Germany and the USA: Talented, expert craftsmen, each committed to creating the finest motorcycle springs in the world.

Performance Perfected.

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	HONDA				
12	CRF 250R	0.45	970	5.3	889
12	CRF 450R	0.49	970	5.5	897
11	CRF 250R	0.44	970	5.3	889
11	CRF 450R	0.45	970	5.5	897
10	CRF 150R	0.32	915	5.0	810
10	CRF 150R Exp	0.34	915	5.2	810
10	CRF 250R	0.46	970	5.3	889
10	CRF 250X	0.45	978	5.3	889
10	CRF 450R	0.47	970	5.5	897
10	CRF 450X	0.47	978	5.5	889
10	XR 650L	0.44	996	10.5	890
09	CRF 150R	0.32	915	5.0	810
09	CRF 150R Exp	0.34	915	5.2	810
09	CRF 250R	0.46	978	5.3	889
09	CRF 250X	0.45	978	5.3	889
09	CRF 450R	0.47	970	5.5	897
09	CRF 450X	0.47	978	5.5	889
09	XR 650L	0.44	996	10.5	890
08	CRF 150R	0.32	915	5.0	810
08	CRF 150R Exp	0.34	915	5.2	810
08	CRF 250R	0.46	978	5.3	889
08	CRF 250X	0.45	978	5.3	889
08	CRF 450R	0.47	978	5.5	889
08	CRF 450X	0.47	978	5.5	889
08	XR 650L	0.44	996	10.5	890
07	CR 85R	0.26	915	4.8	810
07	CR 85RB Exp	0.28	915	5.2	810
07	CR 125R	0.44	973	4.7	892
07	CR 250R	0.43	978	4.6	889
07	CRF 150R	0.34	915	5.0	810
07	CRF 250R	0.45	978	5.3	889
07	CRF 250X	0.45	978	5.3	889
07	CRF 450R	0.46	978	5.5	889
07	CRF 450X	0.46	978	5.5	889
07	TRX 400 EX	2.75	N/A	5.8	891
07	XR 250R	0.40	990	11.3	886
07	XR 400R	0.40	996	9.8	890
07	XR 650L	0.44	996	10.5	890
07	XR 650R	0.43	975	9.2	885
06	CR 85R	0.26	915	4.8	810
06	CR 85RB Exp	0.28	915	5.2	810
06	CR 125R	0.44	973	4.7	892
06	CR 250R	0.43	978	4.6	889
06	CRF 250R	0.45	978	5.3	889
06	CRF 250X	0.45	978	5.3	889
06	CRF 450R	0.46	978	5.5	889

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
06	CRF 450X	0.46	978	5.5	889
06	TRX 400 EX	2.75	N/A	5.8	891
06	XR 250R	0.40	990	11.3	886
06	XR 400R	0.40	996	9.8	890
06	XR 650L	0.44	996	10.5	890
06	XR 650R	0.43	975	9.2	885
05	CR 85R	0.26	915	4.8	810
05	CR 85RB Exp	0.28	915	5.2	810
05	CR 125R	0.44	973	4.7	892
05	CR 250R	0.43	978	4.6	889
05	CRF 250R	0.43	978	5.3	889
05	CRF 250R	0.43	978	5.3	889
05	CRF 250X	0.43	978	5.3	889
05	CRF 450R	0.47	978	5.5	889
05	CRF 450X	0.47	978	5.5	889
05	TRX 400 EX	2.75	N/A	5.8	891
05	XR 200R	0.33*	Call	10.7	Call
05	XR 250R	0.40	990	11.3	886
05	XR 400R	0.40	996	9.8	890
05	XR 650L	0.44	996	10.5	890
05	XR 650R	0.43	975	9.2	885
04	CR 85R	0.26	915	4.8	810
04	CR 85RB Exp	0.28	915	5.2	810
04	CR 125R	0.44	973	4.7	892
04	CR 250R	0.43	978	4.6	889
04	CRF 250R	0.43	978	5.3	889
04	CRF 250X	0.43	978	5.3	889
04	CRF 450R	0.47	978	5.5	889
04	TRX 400 EX	2.75	N/A	5.8	891
04	XR 200R	0.33*	Call	10.7	Call
04	XR 250R	0.40	990	11.3	886
04	XR 400R	0.40	996	9.8	890
04	XR 650L	0.44	996	10.5	890
04	XR 650R	0.43	975	9.2	885
03	CR85R	0.26	915	4.8	810
03	CR85RB Exp.	0.28	915	5.2	810
03	CR125	0.45	973	4.7	892
03	CR250	0.47	978	4.6	889
03	CRF 450R	0.47	978	5.5	889
03	TRX400	N/A	N/A	5.7	891
03	XR250	0.35	990	11.0	886
03	XR400	0.38	996	9.5	890
03	XR650L	0.44	996	10.5	890
03	XR650R	0.43	975	9.5	885
02	CR85R	0.26	915	4.8	810
02	CR85RB Exp.	0.28	915	5.2	810
02	CR125	0.43	973	4.8	892
02	CR250	0.43	978	4.9	889
02	CRF 450R	0.47	978	5.4	889

eibach.com

Step 1: Select your application series front or rear. **Step 2:** Go to pages 16-19 for available spring rates per series

Year	Model	FORK		SHOCK		Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series			Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	HONDA					97	XR400R	0.38	996	9.5	890
02	TRX400	N/A	N/A	5.7	891	97	XR600R	0.41	996	10.2	890
02	XR250	0.35	990	11.0	886	97	XR650L	0.44	996	10.7	890
02	XR400	0.38	996	9.5	890						
02	XR650L	0.44	996	10.5	890	96	CR125R	0.39	989	5.4	892
02	XR650R	0.43	975	9.5	885	96	CR250R	0.41	982	5.6	892
						96	CR500R	0.41	982	5.6	892
01	CR80R	0.26	915	4.8	810	96	XR250R	0.35	990	11.0	886
01	CR80RB Exp.	0.28	915	5.2	810	96	XR400R	0.38	996	9.5	890
01	CR125	0.43	973	4.8	892	96	XR600R	0.41	996	10.2	890
01	CR250	0.43	978	4.9	889	96	XR650L	0.44	996	10.7	890
01	CR500	0.41	982	5.6	892						
01	TRX400	N/A	N/A	5.7	891	95	CR125R	0.39	989	5.4	892
01	XR250	0.35	990	11.0	886	95	CR250R	0.41	989	5.6	892
01	XR400	0.38	996	9.5	890	95	CR500R	0.41	989	5.6	892
01	XR650L	0.44	996	10.5	890	95	XR250R	0.40	990	9.3	887
01	XR650R	0.43	975	9.5	885	95	XR600R	0.41	996	10.2	890
						95	XR650L	0.44	996	10.7	890
00	CR80R	0.26	915	4.8	810						
00	CR80RB Exp.	0.28	915	5.2	810	94	CR125R	0.40	989	5.0	892
00	CR125	0.42	982	4.8	892	94	CR250R	0.40	987	5.4	892
00	CR250	0.43	978	4.9	889	94	CR500R	0.40	987	5.6	892
00	CR500	0.41	982	5.6	892	94	XR250R	0.40	990	9.3	887
00	TRX400	N/A	N/A	5.7	891	94	XR600R	0.41	996	10.2	890
00	XR250	0.35	990	11.0	886	94	XR650L	0.41	996	10.7	890
00	XR400	0.38	996	9.5	890						
00	XR600	0.41	996	10.0	890	93	CR125R	0.38	987	5.2	892
00	XR650L	0.44	996	10.5	890	93	CR250R	0.38	987	5.0	892
00	XR650R	0.43	975	9.5	885	93	CR500R	0.38	987	5.2	892
						93	XR250R	0.40	990	9.3	887
99	CR80R	0.26	915	4.8	810	93	XR600R	0.41	996	10.2	890
99	CR80RB Exp.	0.28	915	5.2	810	93	XR650L	0.41	996	10.7	890
99	CR125R	0.41	982	4.6	892						
99	CR250R	0.42	978	4.8	892	92	CR125R	0.36	987	4.8	892
99	CR500R	0.41	982	5.6	892	92	CR250R	0.38	987	5.0	892
99	TRX400EX	N/A	N/A	6.0	891	92	CR500R	0.38	987	5.2	892
99	XR250R	0.35	990	11.0	886	92	TRX250X	N/A	N/A	Call	891
99	XR400R	0.40	996	9.5	890	92	XR250R	0.40	990	9.3	887
99	XR600	0.41	996	10.0	890	92	XR600R	0.42	996	10.0	890
99	XR650L	0.44	996	10.5	890						
						91	CR125R	0.38	985	4.8	892
98	CR125R	0.39	982	4.6	892	91	CR250R	0.40	985	5.0	892
98	CR250R	0.40	978	4.9	892	91	CR500R	0.40	985	5.6	892
98	CR500R	0.41	982	5.6	892	91	TRX250X	N/A	N/A	Call	891
98	XR250R	0.35	990	11.0	886	91	XR250R	0.40	990	9.3	887
98	XR400R	0.40	996	9.5	890	91	XR600R	0.42	996	10.0	890
98	XR600R	0.41	996	10.0	890						
98	XR650L	0.44	996	10.5	890	90	CR125R	0.36	976	5.0	892
						90	CR250R	0.38	976	5.2	892
97	CR125R	0.41	982	5.0	892	90	CR500R	0.40	976	5.8	892
97	CR250R	0.40	978	5.3	892	90	TRX250X	N/A	N/A	Call	891
97	CR500R	0.41	982	5.6	892	90	XR250R	0.40	990	9.3	887
97	XR250R	0.35	990	11.0	886	90	XR600R	0.42	996	10.6	894

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	HONDA				
89	CR125R	0.37	996	5.0	892
89	CR250R	0.38	976	5.2	892
89	CR500R	0.40	976	5.8	892
89	TRX250X	N/A	N/A	Call	891
89	XR250R	0.38	990	9.1	887
89	XR600R	0.42	996	10.6	894
88	CR125R	0.37	996	5.0	888
88	CR250R	0.37	996	5.6	895
88	CR500R	0.39	996	6.0	895
88	TRX250X	N/A	N/A	Call	891
88	XR250R	0.38	990	9.1	887
88	XR600R	0.42	996	10.6	894
87	CR125R	0.33	996	4.8	888
87	CR250R	0.36	996	5.2	895
87	CR500R	0.38	996	5.6	895
87	TRX250X	N/A	N/A	Call	891
87	XR250R	0.38	990	9.1	887
87	XR600R	0.42	996	9.5	N/A
86	CR125R	0.35	996	4.4	888
86	CR250R	0.36	996	4.8	888
86	CR500R	0.38	996	5.0	888
86	XR250R	0.38	990	9.1	887
86	XR600R	0.42	996	9.5	N/A
85	CR125R	0.35	996	4.2	888
85	CR250R	0.35	996	4.8	888
85	CR500R	0.37	996	5.2	888
85	XR350R	N/A	N/A	9.6	893
85	XR600R	0.42	996	9.5	N/A
84	CR125R	Call	996	4.2	888
84	CR250R	Call	996	4.5	888
84	CR500R	0.37	996	5.2	888
84	XR350R	N/A	N/A	10.3	893
84	XR500R	Call	996	10.3	893
83	CR125R	Call	N/A	5.2	888
83	CR250R	Call	996	6.0	888
83	CR480R	0.37	996	6.0	888
83	XR350R	N/A	N/A	10.3	893
83	XR500R	Call	996	10.3	893
	KAWASAKI				
12	KX 85	0.29	914	4.8	810
12	KX 250F	0.90	966	5.0	889
12	KX450F	0.48	971	5.5	897
11	KX 65	0.27	911	4.9	Call
11	KX 85	0.29	914	4.8	810

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
11	KX 250F	0.91	966	5.0	889
11	KX450F	0.48	971	5.5	897
10	KLX 300	0.38	N/A	5.8	892
10	KLX450R	0.47	970	5.5	892
10	KX 65	0.27	911	4.9	Call
10	KX 85	0.29	914	4.8	810
10	KX 250F	0.45	978	5.0	889
10	KX450F	0.47	971	5.4	897
09	KLX 300	0.38	N/A	5.8	892
09	KLX450R	0.47	970	5.5	892
09	KX 65	0.27	911	4.9	Call
09	KX 85	0.29	914	4.8	810
09	KX 250F	0.45	978	5.0	889
09	KX450F	0.47	971	5.4	897
08	KLX 300	0.38	N/A	5.8	892
08	KLX450R	0.47	970	5.5	892
08	KX 60	0.25	910	Call	Call
08	KX 65	0.27	911	4.9	Call
08	KX 85	0.29	914	4.8	810
08	KX 250F	0.45	978	5.0	889
08	KX450F	0.47	971	5.4	892
07	KDX 200	0.35	996	5.0	892
07	KDX 220	0.35	996	5.0	892
07	KDX 400	0.44	974	5.3	889
07	KLX 110	0.32	922	3.0/3.5	Call
07	KLX 300	0.38	N/A	5.8	892
07	KX 60	0.25	910	Call	Call
07	KX 65	0.27	911	4.9	Call
07	KX 85	0.26	914	4.7	810
07	KX 100	0.29	914	4.7	803
07	KX 125	0.43	970	4.8	892
07	KX 250	0.44	971	5.2	892
07	KX 250F	0.43	978	5.0	889
07	KX 500	0.40	982	5.6	892
07	KXF450	0.47	971	5.4	892
06	KDX 200	0.35	996	5.0	892
06	KDX 220	0.35	996	5.0	892
06	KDX 400	0.44	974	5.3	889
06	KLX 110	0.32	922	3.0/3.5	Call
06	KLX 300	0.38	N/A	5.8	892
06	KX 60	0.25	910	Call	Call
06	KX 65	0.27	911	4.9	Call
06	KX 85	0.26	914	4.7	810
06	KX 100	0.29	914	4.7	803
06	KX 125	0.43	970	4.8	892
06	KX 250	0.44	971	5.2	892
06	KX 250F	0.43	978	5.0	889
06	KX 500	0.40	982	5.6	892

eibach.com

Step 1: Select your application series front or rear. **Step 2:** Go to pages 16-19 for available spring rates per series

Year	Model	FORK		SHOCK		Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series			Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
06	KAWASAKI					01	KX85	0.28	914	4.7	811
	KXF450	0.47	969	5.4	892	01	KX100	0.29	914	4.7	811
05	KDX 200	0.35	996	5.0	892	01	KX125	0.41	982	4.9	892
05	KDX 220	0.35	996	5.0	892	01	KX250	0.43	982	5.1	892
05	KDX 400	0.44	974	5.3	889	01	KX500	0.40	982	5.5	892
05	KLX 110	0.32	N/A	3.0/3.5	Call	00	KDX200	0.35	996	5.0	892
05	KLX 300	0.38	N/A	5.8	892	00	KDX220	0.35	996	5.0	892
05	KX 60	0.25	910	Call	Call	00	KX65	0.24	911	3.3/3.9	812
05	KX 65	0.27	911	4.9	Call	00	KX85	0.28	914	4.7	811
05	KX 85	0.26	914	4.7	810	00	KX100	0.29	914	4.7	811
05	KX 100	0.29	914	4.7	803	00	KX125	0.41	982	4.6/5.1	892
05	KX 125	0.43	970	4.8	892	00	KX250	0.43	982	4.8/5.3	892
05	KX 250	0.44	970	5.2	892	00	KX500	0.40	982	5.5	892
05	KX 250F	0.43	970	5.0	892						
05	KX 500	0.40	982	5.6	892	99	KDX200	0.35	996	5.0	892
						99	KDX220	0.35	996	5.0	892
04	KDX 200	0.35	996	5.0	892	99	KSF250 Mojave	N/A	N/A	N/A	891
04	KDX 220	0.35	996	5.0	892	99	KX60	0.25	910	N/A	N/A
04	KDX 400	0.44	974	5.3	889	99	KX80	0.28	913	4.7	811
04	KLX 110	0.32	N/A	3.0/3.5	Call	99	KX100	0.29	913	4.7	811
04	KLX 300	0.38	N/A	5.8	892	99	KX125	.39/.41	982	4.6/5.1	892
04	KX 60	0.25	910	Call	Call	99	KX250	.42/.44	982	4.8/5.3	892
04	KX 65	0.27	911	4.9	Call	99	KX500	0.40	982	5.3	892
04	KX 85	0.26	914	4.7	803						
04	KX 100	0.29	914	4.7	803	98	KDX200	0.35	996	5.0	892
04	KX 125	0.43	970	4.8	892	98	KDX220	0.35	996	5.0	892
04	KX 250	0.44	970	5.2	892	98	KSF250 Mojave	N/A	N/A	Call	891
04	KX 250F	0.43	970	5.0	892	98	KX60	0.25	910	N/A	N/A
04	KX 500	0.40	982	5.6	892	98	KX80	0.28	913	4.7	811
						98	KX100	0.29	913	4.7	811
03	KDX200	0.35	996	5.0	892	98	KX125	.40/.46	982	4.6/5.9	892
03	KDX220	0.35	996	5.0	892	98	KX250	.42/.49	982	4.8/7.2	892
03	KDX400	0.44	974	5.3	889	98	KX500	0.40	982	5.3	892
03	KX65	0.27	911	4.9	812						
03	KX85	0.26	914	4.7	811	97	KDX200	0.35	996	5.0	892
03	KX100	0.29	914	4.7	811	97	KDX220	0.35	996	5.0	892
03	KX125	0.43	970	4.8	892	97	KLX300R	N/A	N/A	5.2	892
03	KX250	0.44	970	5.2	892	97	KSF250 Mojave	N/A	N/A	Call	891
03	KX500	0.40	982	5.6	892	97	KX60	0.25	910	N/A	N/A
						97	KX80	0.26	913	4.7	811
02	KDX200	0.35	996	5.0	892	97	KX250	0.41	982	5.0	892
02	KDX220	0.35	996	5.0	892	97	KX500	0.40	982	5.3	892
02	KX65	0.27	911	4.9	812						
02	KX85	0.28	914	4.7	811	96	KDX200	0.35	996	5.0	892
02	KX100	0.29	914	4.7	811	96	KLX250R	N/A	N/A	5.2	892
02	KX125	0.41	971	4.9	892	96	KSF250 Mojave	N/A	N/A	Call	891
02	KX250	0.43	971	5.1	892	96	KX125	0.38	982	4.9	892
02	KX500	0.40	982	5.5	892	96	KX250	0.41	982	5.0	892
						96	KX500	0.39	989	5.4	892
01	KDX200	0.35	996	5.0	892						
01	KDX220	0.35	996	5.0	892	95	KDX200	0.35	996	5.0	892
01	KX65	0.24	911	3.3/3.9	812	95	KLX250R	N/A	N/A	5.2	892

Year	Model	FORK		SHOCK		Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series			Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	KAWASAKI					87	KDX200	0.33	996	4.4	888
95	KSF250 Mojave	N/A	N/A	Call	891	87	KSF250 Mojave	N/A	N/A	Call	891
95	KX125	0.38	989	4.9	892	87	KXF250 Tecate	N/A	N/A	Call	891
95	KX250	0.39	989	5.0	892	87	KX125	0.34	996	4.6	888
95	KX500	0.39	989	5.3	892	87	KX250	0.37	996	5.2	888
						87	KX500	0.39	996	5.4	888
94	KDX200	0.30	996	4.6	892	86	KDX200	0.33	996	4.4	888
94	KDX250	0.35	997	4.8	892	86	KSF250 Mojave	N/A	N/A	Call	891
94	KLX250	N/A	N/A	5.2	892	86	KX125	0.27	996	4.6	888
94	KSF250 Mojave	N/A	N/A	Call	891	86	KX250	0.37	996	5.4	895
94	KX125	0.38	989	4.7	892	86	KX500	0.38	996	5.6	888
94	KX250	0.39	989	4.9	892						
94	KX500	0.39	989	5.3	892	85	KX125	0.27	996	4.4	888
93	KDX200	0.30	996	4.6	892	85	KX250	0.32	996	4.6	888
93	KDX250	0.35	997	4.8	892	85	KX500	0.35	996	4.8	888
93	KSF250 Mojave	N/A	N/A	Call	891	84	KX125	Call	996	4.2	888
93	KX125	0.35	989	4.5	892	84	KX250	Call	996	4.5	888
93	KX250	0.39	989	4.7	892	84	KX500	Call	996	4.8	888
93	KX500	0.39	987	5.3	892						
92	KDX200	0.30	996	4.6	892	83	KX125	Call	996	3.9	888
92	KDX250	0.35	997	4.8	892	83	KX250	Call	996	4.4	888
92	KSF250 Mojave	N/A	N/A	Call	891	83	KX500	Call	996	Call	888
92	KX125	0.37	987	4.6	892		KTM				
92	KX250	0.39	987	4.8	892	12	85 SX	0.35	916	3.6	816
92	KX500	0.39	987	5.4	892	12	200 XC-W	0.40	974	Call	896
91	KDX200	0.30	996	4.6	892	12	250 SX	0.44	969	Call	896
91	KDX250	0.35	997	4.8	892	12	250 SX-F	0.47	969	5.3	898
91	KSF250 Mojave	N/A	N/A	Call	891	12	250 XC	0.44	969	Call	896
91	KX125	0.37	987	4.6	892	12	250 XC-F	0.44	969	Call	896
91	KX250	0.39	987	4.8	892	12	250 XCF-W	0.44	969	Call	896
91	KX500	0.39	987	5.4	892	12	250 XC-W	0.42	974	Call	896
90	KDX200	0.30	996	4.7	892	12	300 XC	0.44	969	Call	896
90	KSF250 Mojave	N/A	N/A	Call	891	12	300 XC-W	0.45	969	Call	896
90	KX125	n/a	n/a	4.8	892	12	350 SX-F	0.49	969	5.5	898
90	KX250	n/a	n/a	5.2	892	12	350 EXC-F	0.41	974	Call	896
90	KX500	n/a	n/a	5.4	892	12	350 XC-F	0.45	969	Call	896
89	KDX200	0.30	996	4.6	892	12	350 XCF-W	0.41	974	Call	896
89	KSF250 Mojave	N/A	N/A	Call	891	12	450 EXC	0.46	974	Call	896
89	KX125	N/A	N/A	4.8	892	12	450 SX-F	0.51	969	5.8	898
89	KX250	N/A	N/A	5.2	892	12	450 XC-W	0.46	974	Call	896
89	KX500	N/A	N/A	5.4	892	12	500 EXC	0.43	974	Call	896
88	KDX200	0.33	996	4.4	888	12	500 XC-W	0.43	974	Call	896
88	KSF250 Mojave	N/A	N/A	Call	891	12	530 EXC	0.46	974	Call	896
88	KXF250 Tecate	N/A	N/A	Call	891	11	85 SX	0.35	916	3.6	816
88	KX125	N/A	N/A	4.8	892	11	200 XC-W	0.40	974	Call	896
88	KX250	N/A	N/A	5.2	892	11	250 SX	0.44	969	Call	898
88	KX500	N/A	N/A	5.4	892	11	250 SX-F	0.47	969	5.3	896
						11	250 XC	0.44	969	Call	896
						11	250 XC-F	0.44	969	Call	896

eibach.com

Step 1: Select your application series front or rear. **Step 2:** Go to pages 16-19 for available spring rates per series.

Year	Model	FORK		SHOCK		Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series			Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	KTM					09	450 XC-W®	.046	974	Call	896
11	250 XCF-W	0.44	969	Call	896	09	505 SX-F	0.48	969	Call	896
11	250 XC-W (E)	0.42	974	Call	896	09	505 XC-F	0.46	969	Call	896
11	300 XC	0.44	969	Call	896	09	530 EXC-R	0.46	974	Call	896
11	300 XC-W (E)	0.45	969	Call	898	09	530 XC-W ®	0.46	974	Call	896
11	350 SX-F	0.49	969	5.5	896						
11	450 EXC-R	0.46	974	Call	898	08	85 SX	0.35	916	3.6	816
11	450 SX-F	0.51	969	5.8	896	08	125 SX	0.42	969	Call	896
11	450 XC-F	0.46	969	Call	896	08	125 SX	.42	974	Call	896
11	450 XC-W®	.046	974	Call	896	08	144 SX	0.42	969	Call	896
11	530 EXC-R	0.46	974	Call	896	08	200 XC	0.42	967	Call	896
11	530 XC-W ®	0.46	974	Call	896	08	200 XC-W	0.40	974	Call	896
						08	250 SX	0.44	969	Call	896
10	85 SX	0.35	916	3.6	816	08	250 SX-F	0.44	969	Call	896
10	125 SX	0.42	969	Call	896	08	250 XC	0.44	969	Call	896
10	125 SX	.42	974	Call	896	08	250 XC-F	0.44	969	Call	896
10	144 SX	0.42	969	Call	896	08	250 XCF-W	0.44	969	Call	896
10	200 XC	0.42	967	Call	896	08	250 XC-W (E)	0.42	974	Call	896
10	200 XC-W	0.40	974	Call	896	08	300 XC	0.44	969	Call	896
10	250 SX	0.44	969	Call	896	08	300 XC-W (E)	Call	974	Call	896
10	250 SX-F	0.44	969	Call	896	08	450 EXC-R	0.46	974	Call	896
10	250 XC	0.44	969	Call	896	08	450 SX-F	.048	969	Call	896
10	250 XC-F	0.44	969	Call	896	08	450 XC-F	0.46	969	Call	896
10	250 XCF-W	0.44	969	Call	896	08	450 XC-W®	.046	974	Call	896
10	250 XC-W (E)	0.42	974	Call	896	08	505 SX-F	0.48	969	Call	896
10	300 XC	0.44	969	Call	896	08	505 XC-F	0.46	969	Call	896
10	300 XC-W (E)	Call	974	Call	896	08	530 EXC-R	0.46	974	Call	896
10	450 EXC-R	0.46	974	Call	896	08	530 XC-W ®	0.46	974	Call	896
10	450 SX-F	.048	969	Call	896						
10	450 XC-F	0.46	969	Call	896	07	50 Mini Adv	Call	910	N/A	n/a
10	450 XC-W®	.046	974	Call	896	07	50 SX JR	Call	910	N/A	n/a
10	505 SX-F	0.48	969	Call	896	07	50 SX SR	Call	910	N/A	896
10	505 XC-F	0.46	969	Call	896	07	85 SX	0.35	916	3.6	816
10	530 EXC-R	0.46	974	Call	896	07	125SX	.42	974	Call	896
10	530 XC-W ®	0.46	974	Call	896	07	200EXC	0.38	974	Call	896
						07	200MXC	0.38	974	Call	896
09	85 SX	0.35	916	3.6	816	07	250EXC	0.40	974	Call	896
09	125 SX	0.42	969	Call	896	07	250SX(F)	0.44	967	Call	896
09	125 SX	.42	974	Call	896	07	300EXC	0.41	974	Call	896
09	144 SX	0.42	969	Call	896	07	300MXC	0.40	974	Call	896
09	200 XC	0.42	967	Call	896	07	450EXC	0.42	974	Call	896
09	200 XC-W	0.40	974	Call	896	07	450MXC	0.42	974	Call	896
09	250 SX	0.44	969	Call	896	07	450SX	0.46	967	Call	896
09	250 SX-F	0.44	969	Call	896	07	525EXC	0.42	974	Call	896
09	250 XC	0.44	969	Call	896	07	525MXC	0.46	974	Call	896
09	250 XC-F	0.44	969	Call	896						
09	250 XCF-W	0.44	969	Call	896	06	50 Mini Adv	Call	910	N/A	n/a
09	250 XC-W (E)	0.42	974	Call	896	06	50 SX JR	Call	910	N/A	n/a
09	300 XC	0.44	969	Call	896	06	50 SX SR	Call	910	N/A	n/a
09	300 XC-W (E)	Call	974	Call	896	06	125SX	0.41	974	Call	896
09	450 EXC-R	0.46	974	Call	896	06	85 SX	0.35	916	3.6	896
09	450 SX-F	.048	969	Call	896	06	200EXC	0.38	974	Call	816
09	450 XC-F	0.46	969	Call	896	06	200MXC	0.38	974	Call	896

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	KTM				
06	200SX	0.40	974	Call	896
06	250EXC	0.40	974	Call	896
06	250SX	0.43	974	Call	896
06	300EXC	0.41	974	Call	896
06	300MXC	0.40	974	Call	896
06	450EXC	0.42	974	Call	896
06	450MXC	0.42	974	Call	896
06	450SX	0.46	974	Call	896
06	525EXC	0.42	974	Call	896
06	525MXC	0.46	974	Call	896
06	525SX	0.44	974	Call	896
06	640LC4 DS	0.44	987	6.6	888
05	50 Mini Adv	Call	910	N/A	N/A
05	50 SX JR	Call	910	N/A	N/A
05	50 SX SR	Call	910	N/A	N/A
05	85 SX	0.35	916	3.6	896
05	125SX	0.41	974	Call	816
05	200EXC	0.38	974	Call	896
05	200MXC	0.38	974	Call	896
05	200SX	0.40	974	Call	896
05	250EXC	0.40	974	Call	896
05	250SX	0.43	974	Call	896
05	300EXC	0.41	974	Call	896
05	300MXC	0.40	974	Call	896
05	450EXC	0.42	974	Call	896
05	450MXC	0.42	974	Call	896
05	450SX	0.46	974	Call	896
05	525EXC	0.42	974	Call	896
05	525MXC	0.46	974	Call	896
05	525SX	0.44	974	Call	896
05	640LC4 DS	0.44	987	6.6	888
04	50 SX JR	Call	910	N/A	N/A
04	50 SX SR	Call	910	N/A	N/A
04	50 Mini Adv	Call	910	N/A	N/A
04	85 SX	0.35	916	3.6	896
04	125SX	0.41	974	Call	816
04	200EXC	0.38	974	Call	896
04	200MXC	0.38	974	Call	896
04	200SX	0.40	974	Call	896
04	250EXC	0.40	974	Call	896
04	250SX	0.43	974	Call	896
04	300EXC	0.41	974	Call	896
04	300MXC	0.40	974	Call	896
04	450EXC	0.42	974	Call	896
04	450MXC	0.42	974	Call	896
04	450SX	0.46	974	Call	896
04	525EXC	0.42	974	Call	896
04	525MXC	0.46	974	Call	896
04	525SX	0.44	974	Call	896
04	640LC4 DS	0.44	987	6.6	888

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
03	50 Mini Adv	Call	910	N/A	N/A
03	50 SX JR	Call	910	N/A	N/A
03	50 SX SR	Call	910	N/A	N/A
03	85 SX	0.35	916	3.6	896
03	125SX	0.41	974	7.1/9.0	816
03	200EXC	0.38	974	6.6/8.6	896
03	200MXC	0.38	974	6.6/8.6	896
03	200SX	0.40	974	7.1/9.0	896
03	250EXC	0.40	974	7.1/9.0	896
03	250SX	0.43	974	7.6/9.5	896
03	300EXC	0.41	974	7.1/9.0	896
03	300MXC	0.40	974	7.1/9.0	896
03	450EXC	0.42	974	7.1/9.0	896
03	450MXC	0.42	974	7.1/9.0	896
03	450SX	0.46	974	7.6/9.5	896
03	525EXC	0.42	974	7.1/9.0	896
03	525MXC	0.46	974	7.1/9.0	896
03	525SX	0.44	974	7.6/9.5	896
03	640LC4 DS	0.44	987	6.6	888
02	50 Mini Adv	Call	910	N/A	n/a
02	50 SX JR	Call	910	N/A	n/a
02	50 SX SR	Call	910	N/A	n/a
02	125SX	0.40	974	Call	896
02	200EXC	0.38	987	Call	896
02	200MXC	0.38	987	Call	896
02	250EXC	0.40	987	Call	896
02	250SX	0.42	974	Call	896
02	300EXC	0.40	987	Call	896
02	300MXC	0.40	987	Call	896
02	380EXC	0.40	987	Call	896
02	380SX	0.42	974	Call	896
02	400EXC	0.42	987	Call	896
02	400MXC	0.42	987	Call	896
02	400SX	0.44	974	Call	896
02	520EXC	0.42	987	Call	896
02	520MXC	0.42	987	Call	896
02	520SX	0.44	974	Call	896
02	640LC4	N/A	N/A	Call	888
01	50 Mini Adv	Call	910	N/A	n/a
01	50 SX JR	Call	910	N/A	n/a
01	50 SX SR	Call	910	N/A	n/a
01	125EXC	0.38	987	Call	896
01	125SX	0.38	987	Call	896
01	200EXC	0.38	987	Call	896
01	200MXC	0.38	987	Call	896
01	250EXC	0.40	987	Call	896
01	250MXC	0.40	987	Call	896
01	250SX	0.40	987	Call	896
01	300EXC	0.40	987	Call	896
01	300MXC	0.40	987	Call	896
01	380EXC	0.40	987	Call	896

eibach.com

Step 1: Select your application series front or rear. **Step 2:** Go to pages 16-19 for available spring rates per series.

EMS Off-Road Springs | Applications

Year	Model	FORK		SHOCK		Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series			Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	KTM					98	200M/XC	Call	988	Call	896
01	380MXC	0.40	987	Call	896	98	250E/XC	Call	980	8.4	896
01	380SX	0.40	987	Call	896	98	250M/XC	Call	980	Call	896
01	400EXC	0.42	987	Call	896	98	250SX	0.42	980	8.4	896
01	400LC4	0.42	Call	Call	888	98	300E/XC	Call	980	Call	896
01	400MXC	call	987	Call	896	98	300M/XC	Call	980	Call	896
01	400SX	0.42	987	Call	896	98	380E/XC	Call	980	Call	896
01	520EXC	0.42	987	Call	896	98	380M/XC	Call	980	Call	896
01	520MXC	0.42	987	Call	896	98	380SX	Call	980	Call	896
01	520SX	0.42	987	Call	896	98	LC4 400 R/Xce	Call	980	Call	888
01	640LC4	N/A	N/A	Call	888	98	LC4 400E/XC	Call	980	Call	888
						98	LC4 400SX	Call	980	Call	888
00	50 Mini Adv	Call	910	N/A	n/a	98	LC4 620E/XC	Call	980	Call	888
00	50 SX JR	Call	910	N/A	n/a	98	LC4 620R/Xce	Call	980	Call	888
00	50 SX SR	Call	910	N/A	n/a	98	LC4 620SX	Call	980	Call	888
00	125EXC	0.38	987	Call	896						
00	125SX	0.38	987	Call	896	97	125E/XC	0.40	N/A	4.7	888
00	200EXC	0.38	987	Call	896	97	125SX	0.45	N/A	4.9	888
00	200MXC	0.38	987	Call	896	97	250E/XC	0.42	N/A	5.3	888
00	250EXC	0.40	987	Call	896	97	250SX	0.45	N/A	5.3	888
00	250MXC	0.40	987	Call	896	97	300E/XC	0.42	N/A	5.3	888
00	250SX	0.40	987	Call	896	97	300M/XC	0.42	N/A	5.3	888
00	300EXC	0.40	987	Call	896	97	360E/XC	0.42	N/A	5.3	888
00	300MXC	0.40	987	Call	896	97	360M/XC	0.42	N/A	5.3	888
00	380EXC	0.40	987	Call	896	97	360SX	0.45	N/A	5.3	888
00	380MXC	0.40	987	Call	896	97	400LC4	N/A	N/A	Call	888
00	380SX	0.40	987	Call	896	97	400RXC	N/A	N/A	Call	888
00	400EXC	0.42	987	Call	896	97	440E/XC	N/A	N/A	Call	888
00	400LC4	0.44	980	Call	888	97	440M/XC	N/A	N/A	Call	888
00	400SX	0.42	987	Call	896	97	550M/XC	N/A	N/A	Call	888
00	520EXC	0.42	987	Call	896	97	620LC4	N/A	N/A	Call	888
00	520SX	0.42	987	Call	896	97	620RXC	N/A	N/A	Call	888
00	640LC4	0.70	980	Call	888						
						96	125E/XC	0.40	979	4.7	888
99	50 Mini Adv	Call	910	N/A	N/A	96	125SX	Call	979	Call	888
99	50 SX JR	Call	910	N/A	N/A	96	250E/XC	Call	979	Call	888
99	50 SX SR	Call	910	N/A	N/A	96	250SX	0.45	979	5.3	888
99	125E/XC	Call	979	Call	896	96	300E/XC	Call	979	Call	888
99	125SX	Call	980	Call	896	96	300M/XC	0.45	979	5.1	888
99	200E/XC	Call	979	Call	896	96	400LC4	Call	979	Call	888
99	200M/XC	Call	979	Call	896	96	400RXC	Call	979	Call	888
99	250E/XC	Call	980	Call	896	96	440E/XC	Call	979	Call	888
99	250M/XC	Call	980	Call	896	96	440M/XC	Call	979	Call	888
99	250SX	Call	980	Call	896	96	550M/XC	Call	979	Call	888
99	300E/XC	Call	980	Call	896	96	620LC4	Call	979	Call	888
99	300M/XC	Call	980	Call	896	96	620RXC	Call	979	Call	888
99	380E/XC	Call	980	Call	896						
99	380M/XC	Call	980	Call	896	95	125E/XC	Call	979	Call	888
99	380SX	Call	980	Call	896	95	125SX	Call	979	Call	888
99	640LC4	Call	980	Call	888	95	250E/XC	0.45	979	5.1	888
						95	250SX	Call	979	Call	888
98	125E/XC	Call	988	7.6	896	95	300E/XC	0.45	979	5.1	888
98	125SX	0.45	988	8.0	896	95	300M/XC	Call	979	Call	888

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	KTM				
95	400LC4	Call	984	Call	888
95	400RXC	Call	984	Call	888
95	440E/XC	Call	979	Call	888
95	440M/XC	Call	979	Call	888
95	550M/XC	Call	979	Call	888
95	620EXC	0.44	984	6.0	888
95	620LC4	0.44	984	6.5	888
95	620RXC	0.44	984	6.0	888
94	125E/XC	0.38	984	4.8	888
94	125SX	0.40	984	4.8	888
94	250E/XC	Call	984	5.0	888
94	250SX	Call	984	5.2	888
94	300E/XC	0.39	984	5.0	888
94	300M/XC	0.41	984	5.2	888
94	400LC4	0.43	984	6.0	888
94	440E/XC	0.43	984	5.4	888
94	440M/XC	Call	984	5.4	888
94	550M/XC	Call	984	5.4	888
94	620LC4	0.44	984	6.0	888
93	125E/XC	0.38	984	4.8	888
93	125SX	0.40	984	4.8	888
93	250E/XC	0.40	984	5.0	888
93	250SX	Call	984	5.2	888
93	300E/XC	0.39	984	5.0	888
93	300M/XC	0.41	984	5.2	888
93	400LC4	0.43	984	6.0	888
93	550M/XC	Call	984	5.4	888
93	600LC4	0.44	984	6.0	888
92	125E/XC	0.38	984	4.8	888
92	125SX	0.38	984	4.8	888
92	250E/XC	0.40	984	5.0	888
92	250SX	0.44	984	5.0	888
92	300E/XC	0.40	984	5.0	888
92	300M/XC	Call	984	5.0	888
92	550M/XC	0.44	984	5.4	888
92	600LC4	AIR	N/A	5.6	888
91	125E/XC	0.38	984	4.8	888
91	125SX	0.38	984	4.8	888
91	250E/XC	0.40	984	5.0	888
91	250SX	0.40	984	5.0	888
91	300E/XC	0.40	984	5.0	888
91	300M/XC	0.40	984	5.0	888
91	500MX	0.40	984	5.2	888
91	540M/XC	Call	984	Call	888
91	600LC4	Call	984	5.6	888
90	125E/XC	0.36	984	5.0	888
90	125MX	0.38	984	4.8	888

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
90	250E/XC	0.38	984	4.8	888
90	250MX	0.38	984	5.4	888
90	300E/XC	0.38	984	Call	888
90	300M/XC	Call	984	5.5	888
90	500MX	0.42	984	5.2	888
90	540M/XC	Call	984	Call	888
90	600LC4	0.44	984	5.6	888
	SUZUKI				
12	RM-Z 250	0.47	978	5.7	889
12	RM-Z 450	0.48	978	5.8	889
11	RM-Z 250	0.47	978	5.7	889
11	RM-Z 450	0.48	978	5.8	889
10	DR 650SE	Call	996	6.4	Call
10	DRZ 400SM	0.44	974	5.5	889
10	RM 85	0.26	915	4.6	Call
10	RM 85L	0.26	915	4.8	Call
10	RM 250	0.44	978	5.2	889
10	RM-Z 250	0.44	978	5.4	889
10	RM-Z 450	0.45	978	5.4	889
09	DR 650SE	Call	996	6.4	Call
09	DRZ 400SM	0.44	974	5.5	889
09	RM 85	0.26	915	4.6	Call
09	RM 85L	0.26	915	4.8	Call
09	RM 250	0.44	978	5.2	889
09	RM-Z 250	0.44	978	5.4	889
09	RM-Z 450	0.45	978	5.4	889
08	DR 650SE	Call	996	6.4	Call
08	DRZ 400SM	0.44	974	5.5	889
08	RM 85	0.26	915	4.6	Call
08	RM 85L	0.26	915	4.8	Call
08	RM 250	0.44	978	5.2	889
08	RM-Z 250	0.44	978	5.4	889
08	RM-Z 450	0.45	978	5.4	889
07	DR 650SE	Call	996	6.4	Call
07	DRZ 110	0.32	N/A	3.0/3.5	Call
07	DRZ 400	0.44	974	5.3	889
07	DRZ 400E	0.44	974	5.3	889
07	DRZ 400S	0.44	974	5.5	889
07	RM 65	0.27	911	4.9	Call
07	RM 85	0.26	915	4.5/4.7	Call
07	RM 100	0.29	914	4.7	Call
07	RM 125	0.41	978	4.6	889
07	RM 250	0.43	978	5.2	889
07	RM-Z 250	0.43	978	5.1	889
07	RM-Z 450	0.45	978	5.4	889
06	DR 650SE	Call	996	6.4	Call

eibach.com

Step 1: Select your application series front or rear. **Step 2:** Go to pages 16-19 for available spring rates per series.

Year	Model	FORK		SHOCK		Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series			Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	SUZUKI					01	DR 650SE	Call	996	6.4	Call
06	DRZ 110	0.32	N/A	3.0/3.5	Call	01	DR650SE	0.40	996	N/A	N/A
06	DRZ 400	0.44	974	5.3	889	01	DRZ400	0.43	974	5.2	889
06	DRZ 400E	0.44	974	5.3	889	01	RM80	0.27	912	4.9	813
06	DRZ 400S	0.44	974	5.5	889	01	RM125	0.40	972	4.8	889
06	RM 65	0.27	911	4.9	Call	01	RM250	0.42	982	5.0	892
06	RM 85	0.26	915	4.5/4.7	Call						
06	RM 100	0.29	914	4.7	Call	00	DR650SE	0.40	996	N/A	N/A
06	RM 125	0.41	978	4.6	889	00	DRZ400	0.43	974	5.2	889
06	RM 250	0.43	978	5.2	889	00	RM80	0.27	912	4.9	813
06	RM-Z 250	0.43	970	5.1	892	00	RM125	0.42	991	4.8	889
06	RM-Z 450	0.05	978	5.4	889	00	RM250	0.43	991	5.0	889
05	DR 650SE	Call	996	6.4	Call	99	DR350	0.39	996	5.8	883
05	DRZ 110	0.32	N/A	3.0/3.5	Call	99	DR650SE	0.40	996	N/A	N/A
05	DRZ 400	0.44	974	5.3	889	99	RM80	0.27	912	4.9	813
05	DRZ 400E	0.44	974	5.3	889	99	RM125X	0.41	991	4.7	889
05	DRZ 400S	0.44	974	5.5	889	99	RM250X	0.42	991	4.9/6.5	889
05	RM 65	0.27	911	4.9	Call						
05	RM 85	0.26	915	4.5/4.7	Call	98	DR350	0.39	996	5.8	883
05	RM 100	0.29	914	4.7	Call	98	DR650SE	0.40	996	N/A	N/A
05	RM 125	0.41	978	4.6	889	98	RM80	0.27	912	4.9	813
05	RM 250	Call	Call	5.2	889	98	RM125	0.40	983	4.7	889
05	RM-Z 250	0.43	970	5.1	892	98	RM250	0.42	983	4.9	889
05	RM-Z 450	0.05	978	5.4	889						
						97	DR250	0.37	996	8.3	883
04	DR 650SE	Call	996	6.4	Call	97	DR350	0.39	996	5.8	883
04	DRZ 110	0.32	N/A	3.0/3.5	Call	97	DR350SE	0.39	996	5.7/7.6	883
04	DRZ 400	0.44	974	5.3	889	97	RM125	0.40	977	4.8	892
04	DRZ 400E	0.44	974	5.3	889	97	RM250	0.44	977	5.3	892
04	DRZ 400S	0.44	974	5.5	889	97	RMX250	N/A	N/A	5.4	892
04	RM 65	0.27	911	4.9	Call						
04	RM 85	0.26	915	4.5/4.7	Call	96	DR250	0.39	996	5.4	883
04	RM 100	0.29	914	4.7	Call	96	DR250S	0.39	996	5.4	883
04	RM 125	0.41	978	4.6	889	96	DR350	0.39	996	5.4	883
04	RM 250	Call	Call	5.2	889	96	DR350SE	0.39	996	5.4	883
04	RM-Z 250	0.43	970	5.1	892	96	RM125	0.40	980	4.8	892
						96	RM250	0.43	980	5.0	892
03	DR 650SE	Call	996	6.4	Call	96	RMX250	N/A	N/A	5.4	892
03	DRZ400	0.43	974	5.2	889						
03	RM65	0.27	911	4.9	812	95	DR250	0.39	996	5.7/7.6	883
03	RM85	0.26	915	4.5/4.7	813	95	DR250S	0.39	996	5.0	883
03	RM100	0.29	914	4.7	813	95	DR350	0.39	996	5.4	883
03	RM125	0.41	972	4.6	889	95	DR350SE	0.39	996	5.4	883
03	RM250	0.43	981	4.9	892	95	RM125	0.38	986	4.8	892
						95	RM250	0.38	986	5.0	892
02	DR 650SE	Call	996	6.4	Call	95	RMX250	N/A	N/A	5.0	892
02	DRZ400	0.43	974	5.2	889						
02	RM85	0.26	915	4.5/4.7	813	94	DR250	0.39	996	5.0	883
02	RM100	0.29	914	4.7	813	94	DR250S	0.39	996	5.7/7.6	883
02	RM125	0.40	972	4.8	889	94	DR350	0.38	996	5.8	883
02	RM250	0.42	982	5.0	892	94	DR350S	0.39	996	5.7/7.6	883
						94	RM125	0.36	986	4.8	892

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	SUZUKI				
94	RM250	0.38	986	5.0	892
94	RMX250	N/A	N/A	5.0	892
93	DR250	0.39	996	4.8	883
93	DR250S	0.39	996	5.0	883
93	DR350	0.39	996	5.8	883
93	DR350S	0.39	996	4.8	883
93	RM125	N/A	N/A	4.8	892
93	RM250	N/A	N/A	5.2	892
93	RMX250	N/A	N/A	5.0	892
92	DR250	0.37	996	5.0	883
92	DR250S	0.39	996	4.8	883
92	DR350	0.39	996	5.4	893
92	DR350S	0.39	996	4.8	883
92	LT250R Quadracer	N/A	N/A	5.0	891
92	RM125	N/A	N/A	4.8	892
92	RM250	N/A	N/A	5.0	892
92	RMX250	N/A	N/A	5.0	892
91	DR250	0.39	996	5.0	893
91	DR250S	0.39	996	4.8	893
91	DR350	0.39	996	5.0	893
91	DR350S	0.39	996	4.8	893
91	LT250R Quadracer	N/A	N/A	5.0	891
91	RM125	0.34	976	4.8	892
91	RM250	0.39	976	5.0	892
91	RMX250	N/A	N/A	5.0	892
90	DR250	0.39	996	5.0	893
90	DR250S	0.39	996	4.8	893
90	DR350	0.39	996	5.0	893
90	DR350S	0.39	996	4.8	893
90	LT250R Quadracer	N/A	N/A	4.0	891
90	LT500R Quadracer	N/A	N/A	5.0	891
90	RM125	N/A	N/A	4.6	892
90	RM250	N/A	N/A	5.0	892
90	RMX250	N/A	N/A	5.0	892
89	LT250R Quadracer	N/A	N/A	4.0	891
89	LT500R Quadracer	N/A	N/A	5.0	891
89	RM125	N/A	N/A	4.6	892
89	RM250	N/A	N/A	5.0	892
89	RMX250	N/A	N/A	5.0	892
88	LT250R Quadracer	N/A	N/A	4.0	891
88	LT500R Quadracer	N/A	N/A	5.0	891
88	RM125	0.30	996	4.6	892
88	RM250	N/A	N/A	5.0	892
87	LT250R Quadracer	N/A	N/A	4.0	891
87	LT500R Quadracer	N/A	N/A	5.0	891

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
87	RM125	0.30	996	4.6	895
87	RM250	0.36	996	5.0	895
86	LT250R Quadracer	N/A	N/A	4.0	891
86	RM125	0.30	996	4.6	895
86	RM250	0.36	996	5.0	895
85	LT250R Quadracer	N/A	N/A	4.0	891
85	RM125	0.30	996	4.6	895
85	RM250	0.36	996	5.0	895
	YAMAHA				
12	WR 250F	0.45	969	5.3	892
12	WR 450F	0.46	970	5.5	892
12	YZ 85	0.29	914	5.0	810
12	YZ 125	0.42	968	4.6	892
12	YZ 250	0.44	968	4.7	892
12	YZ 250F	0.45	968	5.3	892
12	YZ 450F	0.47	971	5.7	897
11	WR 250F	0.45	969	5.3	892
11	WR 450F	0.46	970	5.5	892
11	YZ 85	0.29	914	5.0	810
11	YZ 125	0.42	968	4.6	892
11	YZ 250	0.44	968	4.9	892
11	YZ 250F	0.45	968	5.3	892
11	YZ 450F	0.47	971	5.7	897
10	WR 250F	0.44	969	5.0	892
10	WR 450F	0.46	970	5.0	892
10	YZ 85	0.29	914	5.0	810
10	YZ 125	0.41	968	4.6	892
10	YZ 250	0.44	968	4.9	892
10	YZ 250F	0.44	968	5.5	892
10	YZ 450F	0.47	971	5.5	897
09	WR 250F	0.44	969	5.0	892
09	WR 450F	0.46	970	5.0	892
09	YZ 85	0.29	914	5.0	810
09	YZ 125	0.41	968	4.6	892
09	YZ 250	0.44	968	4.9	892
09	YZ 250F	0.44	968	5.5	892
09	YZ 450F	0.47	968	5.5	892
08	WR 250F	0.44	969	5.0	892
08	WR 450F	0.46	970	5.0	892
08	YZ 85	0.29	914	5.0	810
08	YZ 125	0.41	968	4.6	892
08	YZ 250	0.44	968	4.9	892
08	YZ 250F	0.44	968	5.5	892
08	YZ 450F	0.47	968	5.5	892

EMS Off-Road Springs | Applications

Year	Model	FORK		SHOCK		Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series			Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	YAMAHA					02	YZ85	0.29	913	5.0	810
07	WR 250F	0.44	969	5.0	892	02	YZ125	0.41	981	4.6	892
07	WR 450F	0.47	970	5.0	892	02	YZ250	0.43	981	4.8	892
07	YZ 85	0.29	914	5.0	810	02	YZ250F	0.44	981	4.8	892
07	YZ 125	0.41	968	4.7	892	02	YZ426F	0.46	981	5.4	892
07	YZ 250	0.44	968	4.9	892						
07	YZ 250F	0.44	968	4.9	892	01	Banshee	N/A	N/A	5.5	891
07	YZ 450F	0.46	968	5.5	892	01	Raptor	N/A	N/A	5.6	883
						01	WR400F	0.45	981	5.0	892
06	Raptor 660R	N/A	N/A	5.6	883	01	YZ80	0.29	913	5.0	810
06	WR 450F	0.46	970	5.0	892	01	YZ125	0.41	981	4.6	892
06	WR 450F	0.47	969	5.0	892	01	YZ250	0.43	981	4.8	892
06	YFM 350 Warrior	N/A	N/A	5.5	N/A	01	YZ250F	0.44	981	4.8	892
06	YFZ 350 Banshee	N/A	N/A	5.4	891	01	YZ426F	0.45	981	5.4	892
06	YZ 85	0.29	914	5.0	810						
06	YZ 125	0.41	968	4.6	892	00	Banshee	N/A	N/A	5.5	891
06	YZ 250	0.43	968	4.9	892	00	WR400F	0.45	981	5.0	892
06	YZ 250F	0.44	968	4.7	892	00	YZ80	0.29	913	5.0	810
06	YZ 450F	0.46	968	5.2	892	00	YZ125	0.41	981	4.6	892
						00	YZ250	0.43	981	4.8	892
05	Raptor 660R	N/A	N/A	5.6	883	00	YZ426F	0.45	981	5.4	892
05	WR 250F	0.44	969	5.0	892						
05	WR 450F	0.47	970	5.0	892	99	WR400F	0.46	981	5.0	892
05	YFM 350 Warrior	N/A	N/A	5.5	N/A	99	YFM350 Warrior	N/A	N/A	5.4	891
05	YFZ 350 Banshee	N/A	N/A	5.4	891	99	YFS200Blaster	N/A	N/A	Call	891
05	YZ 85	0.29	914	5.0	810	99	YZ80	0.29	913	5.0	810
05	YZ 125	0.42	970	4.6	892	99	YZ125	0.41	981	4.8	892
05	YZ 250	0.44	970	4.9	892	99	YZ250	0.43	981	4.8	892
05	YZ 250F	0.44	970	4.7	892	99	YZ400F	0.46	981	5.4	892
05	YZ 450F	0.46	970	5.2	892	99	YZF350Banshee	N/A	N/A	5.4	891
04	WR 450F	0.47	981	5.0	892	98	WR400F	0.45	981	5.0	892
04	YFM 350 Warrior	N/A	N/A	5.5	N/A	98	YFM350 Warrior	N/A	N/A	5.5	891
04	YFZ 350 Banshee	N/A	N/A	5.4	891	98	YFS200Blaster	N/A	N/A	Call	891
04	YZ 85	0.29	914	5.0	810	98	YZ125	0.41	981	4.6	892
04	YZ 125	0.40	969	4.6	892	98	YZ250	0.43	981	4.8	892
04	YZ 250	0.43	969	4.9	892	98	YZ400F	0.45	981	5.4	892
04	YZ 250F	0.42	969	4.7	892	98	YZF350Banshee	N/A	N/A	5.4	891
04	YZ 450F	0.45	969	5.2	892						
						97	WR250	N/A	N/A	5.0	892
03	Banshee	N/A	N/A	5.5	891	97	YFM350 Warrior	N/A	N/A	Call	891
03	Raptor	N/A	N/A	5.6	883	97	YFS200Blaster	N/A	N/A	Call	891
03	WR250F	0.44	981	N/A	N/A	97	YZ125	0.40	981	4.5	892
03	WR450F	0.47	981	5.0	892	97	YZ250	0.41	981	5.1	892
03	YZ85	0.29	913	5.0	810	97	YZF350Banshee	N/A	N/A	5.5	891
03	YZ125	0.41	981	4.6	892						
03	YZ250	0.43	981	4.9	892	96	WR250	N/A	N/A	5.0	892
03	YZ250F	0.44	981	4.7	892	96	YFM350 Warrior	N/A	N/A	5.4	891
03	YZ450F	0.47	981	5.2	892	96	YFS200 Blaster	N/A	N/A	5.0/7.5	891
						96	YFZ350 Banshee	N/A	N/A	6.8	891
02	Banshee	N/A	N/A	5.5	891	96	YZ125	0.40	981	4.5	892
02	Raptor	N/A	N/A	5.6	883	96	YZ250	0.41	981	5.1	892
02	WR426F	0.46	981	5.0	892						

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
	YAMAHA				
95	WR250	0.42	988	5.0	892
95	YFM350 Warrior	N/A	N/A	5.4	891
95	YFS200 Blaster	N/A	N/A	5.0/7.5	891
95	YFZ350 Banshee	N/A	N/A	6.8	891
95	YZ125	0.39	988	4.6	892
95	YZ250	0.41	988	5.1	892
94	WR250	0.42	988	5.2	892
94	YFM350 Warrior	N/A	N/A	5.4	891
94	YFS200 Blaster	N/A	N/A	5.0/7.5	891
94	YFZ350 Banshee	N/A	N/A	6.8	891
94	YZ125	0.39	988	4.8	892
94	YZ250	0.41	988	5.2	892
93	WR250	0.38	989	4.9	892
93	WR500	N/A	N/A	4.9	892
93	YFM350 Warrior	N/A	N/A	5.4	891
93	YFS200 Blaster	N/A	N/A	5.0/7.5	891
93	YFZ350 Banshee	N/A	N/A	6.8	891
93	YZ125	0.38	989	4.8	892
93	YZ250	0.40	989	5.0	892
92	WR250	0.38	989	4.8	892
92	WR500	N/A	N/A	4.9	892
92	YFM350 Warrior	N/A	N/A	5.4	891
92	YFS200 Blaster	N/A	N/A	5.0/7.5	891
92	YFZ350 Banshee	N/A	N/A	6.8	891
92	YZ125	0.38	989	4.8	892
92	YZ250	0.39	989	5.0	892
91	WR250	0.38	988	5.0	892
91	YFM350 Warrior	N/A	N/A	5.4	891
91	YFS200 Blaster	N/A	N/A	5.0/7.5	891
91	YFZ350 Banshee	N/A	N/A	6.8	891
91	YZ125	0.37	988	4.6	892
91	YZ250	0.39	988	5.0	892
90	WR250	N/A	N/A	5.2	892
90	YFM350 Warrior	N/A	N/A	5.4	891
90	YFS200 Blaster	N/A	N/A	5.0/7.5	891
90	YFZ350 Banshee	N/A	N/A	6.8	891
90	YZ125	N/A	N/A	4.8	892
90	YZ250	N/A	N/A	5.2	892
90	YZ490	0.38	996	5.8	892
89	WR250	N/A	N/A	5.2	892
89	YFM350 Warrior	N/A	N/A	5.4	891
89	YFS200 Blaster	N/A	N/A	5.0/7.5	891
89	YFZ350 Banshee	N/A	N/A	6.8	891
89	YZ125	N/A	N/A	4.8	892
89	YZ250	N/A	N/A	5.2	892
89	YZ490	0.38	996	5.8	892

Year	Model	FORK		SHOCK	
		Stock kg/mm	Eibach Series	Stock kg/mm	Eibach Series
88	YFM350 Warrior	N/A	N/A	5.4	891
88	YFS200 Blaster	N/A	N/A	5.0/7.5	891
88	YFZ350 Banshee	N/A	N/A	6.8	891
88	YZ125	0.35	996	5.0	892
88	YZ250	0.38	996	5.2	892
88	YZ490	0.38	996	5.8	888
87	YFM350 Warrior	N/A	N/A	5.4	891
87	YFZ350 Banshee	N/A	N/A	6.8	891
87	YZ125	0.35	996	4.8	888
87	YZ250	0.38	996	5.2	888
87	YZ490	0.38	996	5.5	888
86	YFM350 Warrior	N/A	N/A	5.4	891
86	YZ125	0.30	996	5.5	888
86	YZ250	0.30	996	5.5	888
86	YZ490	0.38	996	5.5	888
85	YZ125	0.30	996	4.5	888
85	YZ250	0.38	996	5.2	895
85	YZ490	0.33	996	4.8	895

eibach.com

Step 1: Select your application series front or rear. **Step 2:** Go to pages 16-19 for available spring rates per series.

EMS Off-Road Fork Spring | Series

Series	kg/mm	OD x OD x Length	EMS Part #	Series	kg/mm	OD x OD x Length	EMS Part #
910	0.24	24.4 x 24.4 x 377	910.024.1	968	0.38	44.0 x 44.0 x 455	968.038.1
	0.26		910.026.1		0.40		968.040.1
	0.28		910.028.1		0.42		968.042.1
	0.30		910.030.1		0.44		968.044.1
911	0.24	27 x 27 x 430	911.024.1		0.46		968.046.1
	0.26		911.026.1		0.48		968.048.1
	0.28		911.028.1		0.50		968.050.1
	0.30		911.030.1		0.52		968.052.1
912	0.25	28.2 x 28.2 x 425	912.025.1		0.54		968.054.1
	0.27		912.027.1	969	0.37	43.6 X 43.6 X 480	969.037.1
	0.29		912.029.1		0.38		969.038.1
	0.31		912.031.1		0.39		969.039.1
	0.33		912.033.1		0.40		969.040.1
913	0.25	31.2 x 31.2 x 422	913.025.1		0.41		969.041.1
	0.27		913.027.1		0.42		969.042.1
	0.29		912.029.1		0.43		969.043.1
	0.31		912.031.1		0.44		969.044.1
	0.33		912.033.1		0.45		969.045.1
914	0.25	31.4 x 31.4 x 430	914.025.1		0.46		969.046.1
	0.27		914.027.1		0.47		969.047.1
	0.29		914.029.1		0.48		969.048.1
	0.31		914.031.1		0.49		969.049.1
	0.33		914.033.1		0.50		969.050.1
915	0.24	32.6 x 32.6 x 446	915.024.1		0.52		969.052.1
	0.26		915.026.1	970	0.38	43.5 x 43.5 x 461	970.038.1
	0.28		915.028.1		0.40		970.040.1
	0.30		915.030.1		0.42		970.042.1
	0.32		915.032.1		0.44		970.044.1
	0.34		915.034.1		0.46		970.046.1
	0.36		915.036.1		0.48		970.048.1
	0.38		915.038.1		0.50		970.050.1
	0.40		915.040.1	971	0.39	43.6 x 43.6 x 472 mm	971.039.1
916	0.31	38 x 38 x 425	916.031.1		0.41		971.041.1
	0.33		916.033.1		0.43		971.043.1
	0.37		916.037.1		0.45		971.045.1
	0.39		916.039.1		0.49		971.049.1
	0.41		916.041.1	972	0.38	42.5 x 42.5 x 478 mm	972.038.1
966	0.76	42.7 x 42.7 x 739	966.076.1		0.40		972.040.1
	0.80		966.080.1		0.42		972.042.1
	0.84		966.084.1		0.44		972.044.1
	0.88		966.088.1		0.46		972.046.1
	0.96		966.096.1	973	0.39	41.6 x 41.6 x 481 mm	973.039.1
	1.0		966.010.1		0.41		973.041.1
	1.04		966.014.1		0.45		973.045.1
967	0.42	43.2 x 43.2 x 455	967.042.1	974	0.38	43.2 x 43.2 x 508 mm	974.038.1
	0.44		967.044.1		0.40		974.040.1
	0.46		967.046.1		0.42		974.042.1
	0.48		967.048.1		0.44		974.044.1
					0.46		974.046.1
					0.48		974.048.1
					0.50		974.050.1
					0.52		974.052.1

Series	kg/mm	OD x OD x Length	EMS Part #	Series	kg/mm	OD x OD x Length	EMS Part #
975	0.43	39.5 x 39.5 x 508 mm	975.043.1	985	0.37	40.2 x 35 x 504 mm	985.037.1
	0.45		975.045.1		0.39		985.039.1
	0.47		975.047.1		0.41		985.041.1
	0.49		975.049.1		0.43		985.043.1
976	0.37	40.4 x 40.4 x 510 mm	976.037.1		0.45		985.045.1
	0.39		976.039.1	986	0.39	40.3 x 40.3 x 478 mm	986.039.1
977	0.39	43.0 x 43.0 x 450 mm	977.039.1		0.41		986.041.1
	0.41		977.041.1		0.43		986.043.1
	0.45		977.045.1		0.45		986.045.1
	0.47		977.047.1	987	0.37	38.3 x 38.3 x 512 mm	987.037.1
978	0.38	42.7 x 42.7 x 493 mm	978.038.1		0.39		987.039.1
	0.40		978.040.1		0.40		987.040.1
	0.42		978.042.1		0.43		987.043.1
	0.44		978.044.1		0.44		987.044.1
	0.46		978.046.1		0.46		987.046.1
	0.48		978.048.1	988	0.37	38.6 x 38.6 x 477 mm	988.037.1
	0.49		978.049.1		0.39		988.039.1
	0.50		978.050.1		0.41		988.041.1
0.52	978.052.1		0.43	988.043.1			
980	0.37	43.2 x 43.2 x 518 mm	980.037.1		0.45		988.045.1
	0.39		980.039.1	989	0.37	38.3 x 38.3 x 486 mm	989.037.1
	0.41		980.041.1		0.39		989.039.1
	0.43		980.043.1		0.45		989.045.1
	0.45		980.045.1	991	0.39	44.6 x 44.6 x 455	991.039.1
	0.47		980.047.1		0.41		991.041.1
0.49	980.049.1		0.43	991.043.1			
981	0.37	41.2 x 41.2 x 462 mm	981.037.1		0.45		
	0.38		981.038.1	996	0.37	36.7 x 36.7 x 510 mm	996.037.1
	0.40		981.040.1		0.43		996.043.1
	0.42		981.042.1		0.45		996.045.1
	0.43		981.043.1		0.47		996.047.1
	0.44		981.044.1		0.48		996.048.1
	0.45		981.045.1		0.50	996.050.1	
	0.46		981.046.1				
	0.48		981.048.1				
982	0.37	41.2 x 41.2 x 471 mm	982.037.1	EMS shims, hardware, misc			
	0.40		982.040.1	Fork Shims			
	0.42		982.042.1	900.001	34.9 x 26.0 x 3 mm		
	0.44		982.044.1	900.002A	38.8 x 28.6 x 3.2 mm		
	0.46		982.046.1	900.005	41.8 x 31.8 x 3 mm		
983	0.37	42.2 x 42.2 x 471 mm	983.037.1	Miscellaneous			
	0.39		983.039.1	900.400	Fork spacer (1.25"OD x 1"ID x 8"L)		
	0.41		983.041.1	900.992	KYB (892 series) Shock collar		
	0.43		983.043.1	9932.1.01	Eibach Moto Springs Decal (2 x 6")		
	0.45		983.045.1	BX0992.000	Shock spring box		
984	0.37	34.9 x 34.9 x 532 mm	984.037.1	BX0996.000	Fork spring box		
	0.39		984.039.1				

eibach.com

Step 1: Select your application series front or rear. **Step 2:** Go to pages 16-19 for available spring rates per series.

EMS Off-Road Shock Spring | Series

Series	kg/mm	OD x OD x Length	EMS Part #	Series	kg/mm	OD x OD x Length	EMS Part #
810	4.50	55.9 x 55.9 x 240	810.0045.1	887	9.80	59.5 x 53.5 x 219 mm	887.0098.1
	5.80		810.0058.1		10.30		887.0103.1
	6.00		810.0060.1		10.70		887.0107.1
811	4.50	55.2 x 54.8 x 255	811.0045.1	888	4.40	59 x 59 x 275 mm	888.0044.1
	5.00		811.0050.1		4.60		888.0046.1
	5.20		811.0052.1		5.00		888.0050.1
	5.40		811.0054.1	889	4.10	66.6 x 64.0 x 267 mm	889.0041.1
812	3.80	45.5 x 45.5 x 200	812.0038.1		4.30		889.0043.1
	5.00		812.0050.1		4.50		889.0045.1
	5.40		812.0054.1		4.70		889.0047.1
813	4.00	51.7 x 45.4 x 250	813.0040.1		4.90		889.0049.1
	4.20		813.0042.1		5.10		889.0051.1
	4.40		813.0044.1		5.30		889.0053.1
	4.60		813.0046.1		5.50		889.0055.1
	5.20		813.0052.1		5.70		889.0057.1
816	4.10	59 x 59 x 215	816.0041.1		5.90		889.0059.1
	4.60		816.0046.1		6.10		889.0061.1
	5.10		816.0051.1		6.30		889.0063.1
883	7.20	55 x 55 x 273	883.0072.1	890	8.50	63.1 x 59.1 x 217 mm	890.0085.1
	7.60		883.0076.1		9.00		890.0090.1
	8.10		883.0081.1		9.50		890.0095.1
885	9.00	62 x 56 x 247 mm	885.0090.1		10.00		890.0100.1
	11.00		885.0110.1		12.00		890.0120.1
	11.50		885.0115.1		12.50		890.0125.1
886	12.00	61 x 55.5 x 190 mm	886.0120.1	891	4.50	56 x 56 x 230 mm	891.0045.1
					4.90		891.0049.1
					5.40		891.0054.1
					5.80		891.0058.1
					6.30		891.0063.1

Series	kg/mm	OD x OD x Length	EMS Part #	Series	kg/mm	OD x OD x Length	EMS Part #
	6.70		891.0067.1	896	7.60	63 x 63 x 250 mm	896.0076.1
	7.20		891.0072.1		8.00	(same as 1000.250.0xxx)	896.0080.1
					8.40		896.0084.1
892	4.00	63.1 x 60.6 x 270 mm	892.0040.1		8.80		896.0088.1
	4.20		892.0042.1		8.0 - 10.3	equivalent to WP PDS3	896.PDS3.1
	4.40		892.0044.1		8.5 - 11.0	equivalent to WP PDS4	896.PDS4.1
	4.60		892.0046.1				
	4.80		892.0048.1	897	4.10	65.0 x 63.0 x 257	897.0041.1
	5.00		892.0050.1		4.30		897.0043.1
	5.20		892.0052.1		4.50		897.0045.1
	5.40		892.0054.1		4.70		897.0047.1
	5.60		892.0056.1		4.90		897.0049.1
	5.80		892.0058.1		5.10		897.0051.1
	6.00		892.0060.1		5.30		897.0053.1
	6.30		892.0063.1		5.50		897.0055.1
	6.70		892.0067.1		5.70		897.0057.1
	7.10		892.0071.1		5.90		897.0059.1
					6.10		897.0061.1
893	5.80	55 x 52 x 273 mm	893.0058.1		6.30		897.0063.1
	6.30		893.0063.1				
	6.70		893.0067.1	898	4.60	62.2 x 62.2 x 265	898.0046.1
	7.20		893.0072.1		4.90		898.0049.1
	7.60		893.0076.1		5.20		898.0052.1
	8.10		893.0081.1		5.50		898.0055.1
					5.80		898.0058.1
894	11.00	52 x 52 x 245 mm	894.0110.1		6.10		898.0061.1
	11.50		894.0115.1		6.40		898.0064.1
	12.00		894.0120.1				
	12.50		894.0125.1				
895	4.90	64 x 64 x 254 mm	895.0049.1				
	5.40		895.0054.1				
	6.70		895.0067.1				

eibach.com

Step 1: Select your application series front or rear. **Step 2:** Go to pages 16-19 for available spring rates per series.

#1 CHOICE OF MOTORSPORT CHAMPIONS WORLDWIDE!**Your Eibach Partner:****USA**

Eibach Springs, Inc.
264 Mariah Circle
Corona, CA 92879-1751
Phone +1 951 256 - 8300
Fax +1 951 256 - 8333
E-mail eibach@eibach.com

Germany

Heinrich Eibach GmbH
Am Lennedamm 1
57413 Finnentrop
Phone +49 27 21 - 5 11-342
Fax +49 27 21 - 5 11-111
E-mail eibach@eibach.de

Australia

Eibach Suspension Technology P.T.Y. Ltd.
3/4 Prosperity Parade
Warriewood NSW 2102
Phone +61 2-99 99-36 55
Fax +61 2-99 99-38 55
E-mail eibach@eibach.com.au

China

Eibach Springs (Taicang) Limited
No. 63 Ningbo Road
Taicang, Jiangsu
China
Postal Code 215400
Phone +86 512-5359 2388
Fax +86 512-5359 2389
E-mail eibach@eibach-china.com

Japan

Eibach Japan Co., Ltd.
No. 3-9-36 Yuigahama
Kamakura,
Kanagawa, 248-0014
Japan
Phone +81 467 61-3610
Fax +81 467 61-3615
E-mail eibach@eibach.jp

South Africa

Eibach South Africa P.T.Y. Ltd.
P.O. Box 2495
North End 6045
Port Elizabeth
Phone +27 41 - 4 51 53 11
Fax +27 41 - 4 53 42 74
E-mail sales@eibachsa.co.za

United Kingdom

Eibach UK
25, Swannington Road
Broughton Astley
Leicestershire LE9 6TU
Phone +44 14 55 - 28 58 51
Fax +44 14 55 - 28 58 53
E-mail sales@eibach.co.uk

